



FIG.1




FIG.2A




FIG.2B




FIG.3A




FIG.3B




FIG.3C




FIG. 4




FIG.5




FIG.6A




FIG.6B

ANTENNA (NO.)	DATA TRANSFER SPEED
A1	450
A2	350
A3	250
A1	350
A2	400
A3	300
A1	250
A2	350
A3	405

FIG.6C

$$1/450:1/350:1/250=22:29:40$$

$$1/350:1/400:1/300=29:25:33$$

$$1/250:1/350:1/405=40:29:25$$

FIG. 7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12

ANT _SEL[0]	ANT _SEL[1]	ANT _SEL[2]	ANT _SEL[3]	ANT _SEL[4]	ANT _SEL[5]	ANT _SEL[6]	ANT _SEL[7]	ANT _SEL[8]	ANT _SEL[9]
SET TOTAL NUMBER OF ANTENNA:7									

NUMBER OF FORWARD SEARCH RESULTS:2 AND NUMBER OF BACKWARD SEARCH RESULTS:1

CONNECTING									
RANGE FOR CHECKING STRENGTH BY RSSI									

	CONNECTING								
	RANGE FOR CHECKING STRENGTH BY RSSI								

					CONNECTING				
					RANGE FOR CHECKING STRENGTH BY RSSI				

						CONNECTING			
						RANGE FOR CHECKING STRENGTH BY RSSI			

FIG.13

